



Inter Science Institute

944 W Hyde Park Blvd, Inglewood, CA 90302
Email: Requests@interscienceinstitute.com
Phone: 800-255-2873 | 310-677-3322 | Fax: 310-677-2846
LABORATORY DIRECTOR: James Lee, MD, PhD

| | | | |
|------------|------------|-----------------------|--------------------|
| Patient: | Test, test | Accession: | 1188 |
| Patient #: | 1007 | Birth: | 9/6/1969 |
| Client: | TEST, TEST | Age: | 54 years |
| | | Gender: | Female |
| | | Collection Date: | |
| | | Received Date: | 6/20/2024 12:40 PM |
| | | External Order Number | 123 |

| Test Name | Result | Units | Flag | Reference Range/Cutoff |
|--|--------|------------|------|------------------------|
| Dehydroepiandrosterone (DHEA) (24-hrs. urine) | | | | |
| Specimen Type/Container Type: Urine/Cup | | | | |
| Total Volume (Liter): 1.2 | | | | |
| DHEA (24 hrs. Urine) | | mg/24 hrs. | L | 0.1 - 4.7 |
| less than 0.0012 mg/L* | | | | |

*Result is below the limit of quantitation.

This test was developed and its performance characteristics determined by Inter Science Institute. Values obtained with different methods, laboratories, or kits cannot be used interchangeably with the results on this report. The results cannot be interpreted as absolute evidence of the presence or absence of malignant disease.



Inter Science Institute

944 W Hyde Park Blvd, Inglewood, CA 90302
Email: Requests@interscienceinstitute.com
Phone: 800-255-2873 | 310-677-3322 | Fax: 310-677-2846
LABORATORY DIRECTOR: James Lee, MD, PhD

| | | | |
|------------|------------|-----------------------|--------------------|
| Patient: | Test, test | Accession: | 1188 |
| Patient #: | 1007 | Birth: | 9/6/1969 |
| Client: | TEST, TEST | Age: | 54 years |
| | | Gender: | Female |
| | | Collection Date: | |
| | | Received Date: | 6/20/2024 12:40 PM |
| | | External Order Number | 123 |

| Test Name | Result | Units | Flag | Reference Range/Cutoff |
|--|--------|------------|----------|------------------------|
| Dehydroepiandrosterone (DHEA) (24-hrs. urine) | | | | |
| Specimen Type/Container Type: Urine/Cup | | | | |
| Total Volume (Liter): 1.2 | | | | |
| DHEA (24 hrs. Urine) | 6.0 | mg/24 hrs. | H | 0.1 - 4.7 |

This test was developed and its performance characteristics determined by Inter Science Institute. Values obtained with different methods, laboratories, or kits cannot be used interchangeably with the results on this report. The results cannot be interpreted as absolute evidence of the presence or absence of malignant disease.