



Inter Science Institute

944 W Hyde Park Blvd, Inglewood, CA 90302
Email: Requests@interscienceinstitute.com
Phone: 800-255-2873 | 310-677-3322 | Fax: 310-677-2846
LABORATORY DIRECTOR: James Lee, MD, PhD

Patient:	Test, test	Accession:	1192
Patient #:	1007	Birth:	9/6/1969
Client:	TEST, TEST	Age:	54 years
		Gender:	Female
		Collection Date:	6/20/2024 12:00 AM
		Received Date:	6/20/2024 4:43 PM
		External Order Number	123

Test Name	Result	Units	Flag	Reference Range/Cutoff
Peptide YY (PYY)				
Specimen Type/Container Type: Plasma/G.I. Tube				
Peptide YY	20	pg/mL	L	30 - 120

This test was developed and its performance characteristics determined by Inter Science Institute. Values obtained with different methods, laboratories, or kits cannot be used interchangeably with the results on this report. The results cannot be interpreted as absolute evidence of the presence or absence of malignant disease.



Inter Science Institute

944 W Hyde Park Blvd, Inglewood, CA 90302
Email: Requests@interscienceinstitute.com
Phone: 800-255-2873 | 310-677-3322 | Fax: 310-677-2846
LABORATORY DIRECTOR: James Lee, MD, PhD

Patient:	Test, test	Accession:	1192
Patient #:	1007	Birth:	9/6/1969
Client:	TEST, TEST	Age:	54 years
		Gender:	Female
		Collection Date:	6/20/2024 12:00 AM
		Received Date:	6/20/2024 4:43 PM
		External Order Number	123

Test Name	Result	Units	Flag	Reference Range/Cutoff
Peptide YY (PYY)				
Specimen Type/Container Type: Plasma/G.I. Tube				
Peptide YY	200	pg/mL	H	30 - 120

This test was developed and its performance characteristics determined by Inter Science Institute. Values obtained with different methods, laboratories, or kits cannot be used interchangeably with the results on this report. The results cannot be interpreted as absolute evidence of the presence or absence of malignant disease.