



Inter Science Institute

944 W Hyde Park Blvd, Inglewood, CA 90302
Email: Requests@interscienceinstitute.com
Phone: 800-255-2873 | 310-677-3322 | Fax: 310-677-2846
LABORATORY DIRECTOR: James Lee, MD, PhD

| | | | |
|------------|------------|-----------------------|--------------------|
| Patient: | Test, test | Accession: | 1193 |
| Patient #: | 1007 | Birth: | 9/6/1969 |
| Client: | TEST, TEST | Age: | 54 years |
| | | Gender: | Female |
| | | Collection Date: | 6/20/2024 12:00 AM |
| | | Received Date: | 6/20/2024 5:24 PM |
| | | External Order Number | 123 |

| Test Name | Result | Units | Flag | Reference Range/Cutoff |
|--------------------------|--------|-------|------|------------------------|
| Prostaglandins D2 | | | | |
| SAMPLE TYPE: SERUM/SST | | | | |
| PgD2 (Plasma/Serum) | 24 | pg/mL | L | 35 - 115 |

This test was developed and its performance characteristics determined by Inter Science Institute. Values obtained with different methods, laboratories, or kits cannot be used interchangeably with the results on this report. The results cannot be interpreted as absolute evidence of the presence or absence of malignant disease.



Inter Science Institute

944 W Hyde Park Blvd, Inglewood, CA 90302
Email: Requests@interscienceinstitute.com
Phone: 800-255-2873 | 310-677-3322 | Fax: 310-677-2846
LABORATORY DIRECTOR: James Lee, MD, PhD

| | | | |
|------------|------------|-----------------------|--------------------|
| Patient: | Test, test | Accession: | 1193 |
| Patient #: | 1007 | Birth: | 9/6/1969 |
| Client: | TEST, TEST | Age: | 54 years |
| | | Gender: | Female |
| | | Collection Date: | 6/20/2024 12:00 AM |
| | | Received Date: | 6/20/2024 5:24 PM |
| | | External Order Number | 123 |

| Test Name | Result | Units | Flag | Reference Range/Cutoff |
|--------------------------|--------|-------|----------|------------------------|
| Prostaglandins D2 | | | | |
| SAMPLE TYPE: SERUM/SST | | | | |
| PgD2 (Plasma/Serum) | 200 | pg/mL | H | 35 - 115 |

This test was developed and its performance characteristics determined by Inter Science Institute. Values obtained with different methods, laboratories, or kits cannot be used interchangeably with the results on this report. The results cannot be interpreted as absolute evidence of the presence or absence of malignant disease.